

2009

Product Catalog



Hardscape Accessories for Landscape and Construction





Geogrid • Cross Reference

This cross-reference table is for comparison only.

Information is per manufacturers literature and is the latest information found by SRW Products.

TABLE OF CONTENTS

Geogrid • SRW	1
Geogrid • Other Brands	2
Geotextile Cross Reference	3
Polyspun Geotextiles	4
Spunbond Geotextiles	5
Non-Woven Geotextiles	6-7
Woven/Non-Woven Geotextiles	8
Woven Geotextiles	9
Drainfield Geotextiles	10
Straw Blankets/Wattles	10
Silt Fence	11
Safety Fence	12
Fabric Staples and Spikes	13
Paver Rail Edging	14
Sealers	15
Cleaners	16
Sealer Accessories	16
Joint Set	17
Adhesive	18
Caulking Guns	18
Diamond Blades	19
Hardscape Technical Services	20
Marketing Materials	21
Earthworks	Back Cover
Stretch Wrap	Back Cover
Foundation Vents	Back Cover

COMPANY	PRODUCT	LTDS
SRW	Universal	622
Luckenhaus/Raugrid	2/2-20	680
Huesker/Fortrac	20/13-20	762
Tensar	UX800MSE	860
Strata	Microgrid	882
Mirafi	2 XT	949
Strata	SG150	1009
SRW	3 Series	1040
Synteen	SF20	1040
Luckenhaus/Raugrid	3/3-20	1151
Tensar	UX1000 MSE or HS	1210
Huesker/Fortrac	35/20-20	1322
Luckenhaus/Raugrid	4/2-15	1478
Strata	SG200	1613
Tensar	UX1100 MSE or HS	1620
Mirafi	3 XT	1705
SRW	5 Series	1848
Synteen	SF35	1848
Versa-Grid	VG3.0	1848
Huesker/Fortrac	55/30-20	1936
Tensar	UX1400 MSE or HS	2070
Strata	SG350	2259
Luckenhaus/Raugrid	6/3-15	2260
Mirafi	5 XT	2327
SRW	7 Series	2625
Synteen	SF55	2625
Versa-Grid	VG5.0	2625
Luckenhaus/Raugrid	8/3-20	2750
Huesker/Fortrac	80/30-20	2815
Strata	SG500	3011
Mirafi	7 XT	3094
Tensar	UX1500 MSE or HS	3100
SRW	8 Series	3373
Synteen	SF65	3373
Luckenhaus/Raugrid	10/3-20	3492
Mirafi	8 XT	3636
Strata	SG550	3657
Huesker/Fortrac	110/30-20	3872
Tensar	UX1600 MSE or HS	4110
SRW	9 Series	4133
Synteen	SF80	4133
Versa Grid	VG 8.0	4133



Geogrid • SRW

SRW Geogrid is composed of high molecular weight, high tenacity multi-filament polyester yarns that are woven into a stable network placed under tension. These yarns are then coated with a PVC material.



UNIVERSAL • Bi-Directional • LTDS 620 • Walls up to 6'

PART NUMBER	SIZE	SQ YDS/ROLL	AMT PER CTN
GSRW U350	3 x 50	16.67	10/ctn
GSRW U445	4 x 45	20.00	12/ctn
GSRW U450	4 x 50	22.22	10/ctn
GSRW U650	6 x 50	33.33	40/pt

3 SERIES • Bi-Directional • LTDS 1040 • Walls up to 10'

PART NUMBER	SIZE	SQ YDS/ROLL	AMT PER CTN
GSRW 365	6 x 50	33.33	40/pt
GSRW 3615	6 x 150	100.00	20/pt
GSRW 31215	12 x 150	200.00	3/bndl

5 SERIES • LTDS 1848

PART NUMBER	SIZE	SQ YDS/ROLL	AMT PER CTN
GSRW 565	6 x 50	33.33	35/pt
GSRW 5615	6 x 150	100.00	20/pt
GSRW 51215	12 x 150	200.00	3/bndl

7 SERIES • LTDS 2625

PART NUMBER	SIZE	SQ YDS/ROLL	AMT PER CTN
GSRW 7615	6 x 150	100.00	20/pt
GSRW 71215	12 x 150	200.00	3/bndl

8 SERIES • LTDS 3373

PART NUMBER	SIZE	SQ YDS/ROLL	AMT PER CTN
GSRW 81215	12 x 150	200.00	3/bndl



9 SERIES • LTDS 4133

PART NUMBER	SIZE	SQ YDS/ROLL	AMT PER CTN
GSRW 91215	12 x 150	200.00	3/bndl

10 SERIES • LTDS 4747

PART NUMBER	SIZE	SQ YDS/ROLL	AMT PER CTN
GSRW 101215	12 x 150	200.00	3/bndl

11 SERIES • LTDS 5627 • Call for Quote



Any items packaged in cartons must be purchased in full carton quantities. Special order sizes are available.



Geogrid • Other Brands

Synteen

SYNTEEN

PRODUCT	PART NUMBER	SIZE	SQ YDS/ROLL	AMT PER CTN
SF20	GSF20 06150	6 x 150	100.00	20/pt
SF20	GSF20 12150	12 x 150	200.00	3/bndl
SF35	GSF35 06150	6 x 150	100.00	20/pt
SF35	GSF35 12150	12 x 150	200.00	3/bndl
SF55	GSF55 06150	6 x 150	100.00	20/pt
SF55	GSF55 12150	12 x 150	200.00	3/bndl
SF80	GSF80 12150	12 x 150	200.00	3/bndl
*SF11	ROADBASE REINFORCEMENT • CALL FOR QUOTE			
*SF12	ROADBASE REINFORCEMENT • CALL FOR QUOTE			



MIRAFI

PRODUCT	PART NUMBER	SIZE	SQ YDS/ROLL	AMT PER CTN
2XT	GM2 06150	6 x 150	100.00	30/pt
3XT	GM3 06150	6 x 150	100.00	30/pt
3XT	GM3 12150	12 x 150	200.00	3/bndl
5XT	GM5 06150	6 x 150	100.00	30/pt
5XT	GM5 12150	12 x 150	200.00	3/bndl
7XT	GM7 12200	12 x 200	266.66	3/bndl
8XT	GM8 12200	12 x 200	266.66	3/bndl
*10XT	GM10 12200	12 x 200	266.66	3/bndl
*BasX-11	ROADBASE REINFORCEMENT • CALL FOR QUOTE			
*BasX-12	ROADBASE REINFORCEMENT • CALL FOR QUOTE			



STRATA

PRODUCT	PART NUMBER	SIZE	SQ YDS/ROLL	AMT PER CTN
150	GST150 06050	6 x 50	33.33	30/pt
150	GST150 06150	6 x 150	100.00	20/pt
200	GST200 06075	6 x 75	50.00	30/pt
200	GST200 06150	6 x 150	100.00	20/pt
350	GST350 06150	6 x 150	100.00	20/pt
500	GST500 06300	6 x 300	200.00	20/pt
*550	GST550 06300	6 x 300	200.00	20/pt
*600	GST600 06300	6 x 300	200.00	20/pt

* Available via special order.



Geotextile • Cross Reference

These cross-reference tables are for comparison only. Information is per manufacturers literature and is the latest information found by SRW Products.

WEED CONTROL and LANDSCAPE GEOTEXTILES				
SRW	DEWITT	FABRISCAPE	MASTER GARDNER	GARDENEER
Residential	3 yr Weed Barrier		Mulch Master	Weed Control
Contractor	6 yr Weed Barrier		Weedender Premium	5 yr Weed Shield
Professional	12 yr Weed Barrier		Weedender Commercial	10 yr Weed Shield
SB2	Prem. 3201 (Tytar)	Commercial Weed Stopper		Proshield Spun 2
SB3	Pro. 3301 (Tytar)	Professional Spunbond	Commercial FB 3200	Proshield Spun 3
GC3	Sunbelt	Woven Ground Cover	Pro-Weave 3200	Proshield Woven 3
LS3	Filter Fabric	Professional Non-Woven	Polytex Filter	Professional Weed-X
Pro Plus IV	20 yr Weed Barrier	Woven Weed Restrictor	Pro-Weave Plus	20-yr Weed Shield Premium
Pro Plus V	Pro 5	Woven Weed Restrictor Plus		Proshield Woven 5

CONSTRUCTION GEOTEXTILES							
SRW	MIRAFI	PROPEX	WEBTEC	TNS	LINQ	CONTECH	CARTHAGE
LS3	Mirascapex	Geotex 351	Terrtop WC	R032	125EX	C31NW	FX 30HS
NW4	140NC	Geotex 401	N04	R040	130EX	C40NW	FX 40HS
NW4.5	140N	Geotex 451	N04.5	R042	140EX	C50NW	FX 45HS
NW6	160N	Geotex 601	N06	R060	150EX	C60NW	FX 60HS
EC8	180N	Geotex 801	N09	R090	180EX	C80NW	FX 80HS
NW10	1100N	Geotex 1001	N10	R100	250EX	C100NW	FX 100HS
NW12	1120N	Geotex 1201	N12	R120	275EX	C120NW	FX 120HS
NW16	1160N	Geotex 1601	N16	R160	350EX	C160NW	FX 160HS
GC3	100X	135 ST	Terratex SC	280	GTF 180	C200L	FX 44
SS5	500X	200 ST	Terratex GS	W200	GTF 200	C200	FX 55
SS6	600X	315 ST	Terratex HD	W300	GTF 300	C300	FX 66



Polyspun Geotextiles

SRW Polyspun polypropylene geotextiles are fabricated by sandwiching layers of fabric, which is then spunbonded for strength and light blockage. This fabric is hydrophilically treated to increase water flow.



Close-up

APPLICATIONS

Excellent for short and long-term landscapes, annual or container gardens. Polyspun geotextiles allow air, water and nutrients to pass through. They conserve soil moisture and promote healthy plant growth by eliminating the competing weeds.

Works great under bark, rock, and other organic materials to separate materials and provide weed control.

FEATURES

- **Weed Control:**
Suppresses weed growth while allowing air, water and nutrients to pass through to the plants.
- **Easy Installation:**
Conforms easily to the ground and will not unravel when cut.
- **UV Treated:**
UV treated for a longer lifespan. If properly installed Polyspun fabrics will last well beyond the year rating.

RESIDENTIAL • 5 YEAR

PART NUMBER	SIZE	SQ YDS/ROLL	AMT PER CTN
FPS1.5 03050	3 x 50	16.67	18/ctn
FPS1.5 03100	3 x 100	33.33	9/ctn
FPS1.5 03300	3 x 300	100.00	40/pt

CONTRACTOR • 10 YEAR

Large roll color coding: White

PART NUMBER	SIZE	SQ YDS/ROLL	AMT PER CTN
FPS2 03050	3 x 50	16.67	15/ctn
FPS2 03100	3 x 100	33.33	7/ctn
FPS2 03300	3 x 300	100.00	20/pt
FPS2 04050	4 x 50	22.22	15/ctn
FPS2 04100	4 x 100	44.44	7/ctn
FPS2 04300	4 x 300	133.33	20/pt
FPS2 06100	6 x 100	66.67	30/pt
FPS2 06300	6 x 300	200.00	20/pt
FPS2 08300	8 x 300	266.67	4/bndl

PROFESSIONAL • 15 YEAR

Large roll color coding: Tan

PART NUMBER	SIZE	SQ YDS/ROLL	AMT PER CTN
FPS3 03050	3 x 50	16.67	12/ctn
FPS3 03100	3 x 100	33.33	6/ctn
FPS3 03300	3 x 300	100.00	20/pt
FPS3 04050	4 x 50	22.22	12/ctn
FPS3 04100	4 x 100	44.44	6/ctn
FPS3 04300	4 x 300	133.33	20/pt
FPS3 06100	6 x 100	66.67	30/pt
FPS3 06300	6 x 300	200.00	20/pt
FPS3 08300	8 x 300	266.67	4/bndl
FPS3 12300	12 x 300	400.00	4/bndl

Any items packaged in cartons must be purchased in full carton quantities. Special order sizes are available.



Spunbond Geotextiles

SRW Spunbond polyester geotextiles are commercial grade landscape fabrics with high puncture resistance. Spunbonds are the favorite among professional landscapers due to their strength and versatility.



SB2 Large roll color coding: Green

PART NUMBER	SIZE	SQ YDS/ROLL	AMT PER CTN
FSB2 03025	3 x 25	8.33	50/ctn
FSB2 03050	3 x 50	16.67	24/ctn
FSB2 03100	3 x 100	33.33	13/ctn
FSB2 03300	3 x 300	100.00	30/pt
FSB2 04025	4 x 25	11.11	50/ctn
FSB2 04050	4 x 50	22.22	24/ctn
FSB2 04100	4 x 100	44.44	13/ctn
FSB2 04300	4 x 300	133.33	30/pt
FSB2 06100	6 x 100	66.67	30/pt
FSB2 06300	6 x 300	200.00	30/pt
FSB2 12300	12 x 300	400.00	4/bndl

APPLICATIONS

Weed Control Fabric:

Enhances plant growth with the suppression of weed growth.

Filter Fabric:

Wrap around drainage pipes to protect native soil and silt from clogging drainage septic systems.

Soil Separation:

Use as a patio/paver under liner. Increases the life of the patio/walkway. Separates sand/aggregate from the soil and prevents shifting.

FEATURES

■ Versatile Fabric:

Works well in many applications.

■ Easy Installation:

Conforms easily to the ground or trench surface.

■ Filtration:

Provides high water flow rates while providing excellent filtration properties.

SB3 Large roll color coding: Yellow

PART NUMBER	SIZE	SQ YDS/ROLL	AMT PER CTN
FSB3 03025	3 x 25	8.33	34/ctn
FSB3 03050	3 x 50	16.67	18/ctn
FSB3 03100	3 x 100	33.33	8/ctn
FSB3 03300	3 x 300	100.00	25/pt
FSB3 04025	4 x 25	11.11	34/ctn
FSB3 04050	4 x 50	22.22	18/ctn
FSB3 04100	4 x 100	44.44	8/ctn
FSB3 04300	4 x 300	133.33	25/pt
FSB3 06100	6 x 100	66.67	30/pt
FSB3 06300	6 x 300	200.00	20/pt
FSB3 08300	8 x 300	266.67	4/bndl
FSB3 12300	12 x 300	400.00	4/bndl

SB4

PART NUMBER	SIZE	SQ YDS/ROLL	AMT PER CTN
FSB4 03300	3 x 300	100.00	20/pt
FSB4 12300	12 x 300	400.00	4/bndl

Any items packaged in cartons must be purchased in full carton quantities. Special order sizes are available.



Non-Woven Geotextiles

SRW Non-Woven polypropylene geotextiles are comprised of polypropylene staple fibers. They provide excellent physical and hydraulic properties in addition to high tensile strengths.

APPLICATIONS

Most common applications include separation, filtration and protection.

Lightweight Non-Wovens

Used for subsurface drainage applications along highways, within embankments.

Heavyweight Non-Wovens

Used in critical subsurface drainage systems, soil separation, permanent erosion control and geomembrane liner protection within landfills.

FEATURES

■ Easy Installation:

Conforms easily to the ground or trench surface.

■ Product By General Usage

LS3	General filter fabric
NW4	General drainage fabric
NW4.5	General drainage fabric
NW6	Pond Underlayment
EC8	Heavy-Duty Erosion Control

LS3

PART NUMBER	SIZE	SQ YDS/ROLL	AMT PER CTN
FLS3 03025	3 x 25	8.33	18/ctn
FLS3 03050	3 x 50	16.67	9/ctn
FLS3 03100	3 x 100	33.33	30/pt
FLS3 03300	3 x 300	100.00	12/pt
FLS3 04050	4 x 50	22.22	9/ctn
FLS3 04100	4 x 100	44.44	30/pt
FLS3 04300	4 x 300	133.33	12/pt
FLS3 06100	6 x 100	66.67	30/pt
FLS3 06300	6 x 300	200.00	12/pt
FLS3 09300	9 x 300	300.00	3/bndl
FLS3 12300	12 x 300	400.00	3/bndl

NW4

PART NUMBER	SIZE	SQ YDS/ROLL	AMT PER CTN
FNW4 03100	3 x 100	33.33	30/pt
FNW4 03300	3 x 300	100.00	12/pt
FNW4 04100	4 x 100	44.44	30/pt
FNW4 04300	4 x 300	133.33	12/pt
FNW4 06100	6 x 100	66.67	25/pt
FNW4 06300	6 x 300	200.00	12/pt
FCNW4 125360	12.5 x 360	500.00	3/bndl
FCNW4 15360	15 x 360	600.00	3/bndl

NW4.5


PART NUMBER	SIZE	SQ YDS/ROLL	AMT PER CTN
FNW4.5 03100	3 x 100	33.33	30/pt
FNW4.5 03300	3 x 300	100.00	12/pt
FNW4.5 04050	4 x 50	22.22	8/ctn
FNW4.5 04100	4 x 100	44.44	30/pt
FNW4.5 04300	4 x 300	133.33	12/pt
FNW4.5 06100	6 x 100	66.67	25/pt
FNW4.5 06300	6 x 300	200.00	12/pt
FCNW4.5 125360	12.5 x 360	500.00	3/bndl
FCNW4.5 15360	15 x 360	600.00	3/bndl

Any items packaged in cartons must be purchased in full carton quantities. Special order sizes are available.



Non-Woven Geotextiles

SRW Non-Woven polypropylene geotextiles are comprised of polypropylene staple fibers. They provide excellent physical and hydraulic properties in addition to high tensile strengths.




NW6

PART NUMBER	SIZE	SQ YDS/ROLL	AMT PER CTN
FNW6 06300	6 x 300	200.00	9/pt
FCNW6 10100	10 x 100	111.11	6/bndl
FCNW6 10300	10 x 300	333.33	3/bndl
FCNW6 15300	15 x 300	500.00	3/bndl

NW7

PART NUMBER	SIZE	SQ YDS/ROLL	AMT PER CTN
FCNW7 15300	15 x 300	500.00	3/bndl



EC8

PART NUMBER	SIZE	SQ YDS/ROLL	AMT PER CTN
FEC8 06100	6 x 100	66.67	20/pt
FEC8 06300	6 x 300	200.00	9/pt
FCEC8 125360	12.5 x 360	500.00	3/bndl
FCEC8 15300	15 x 300	500.00	3/bndl

PROPERTIES	Test	Units	LS3	NW4	NW4.5	NW6	EC8
Weight	D5261	oz/sq yd	>3	>4	>4.5	>6	>8
Grab Tensile Strength	D4632	lbs	115	100	120	160	205
Grab Elongation	D4632	%	50	60	50	50	50
Trap-Tear Strength	D4533	lbs	37	45	50	60	80
Puncture Resistance	D4833	lbs	54	65	65	95	130
Mullen Burst Strength	D3786	psi	200	210	225	305	380
Water Flow Rate	D4491	gpm/sq ft	182	140	135	110	95
Permittivity	D4491	1/sec	1.9	1.9	1.8	1.4	1.2
UV Resistance (500 hr)	D4355	%	70	70	70	70	70
Apparent Opening Size	D4751	US Sieve	50	70	70	70	80
Roll Widths	NA	ft	3, 4, 6, 9, 12	12.5, 15	3, 4, 6, 15	10, 15	6, 12.5, 15



Woven/Non-Woven Geotextiles

SRW Woven/Non-Woven geotextiles are premium landscape fabrics made of Woven/Non-Woven polypropylene fabrics, needle-punched together with plant lines every 12 inches for easy plant alignment.



PRO PLUS IV • 20 YEAR

Large roll color coding: Orange

PART NUMBER	SIZE	SQ YDS/ROLL	AMT PER CTN
FPP1V 03025	3 x 25	8.33	18/ctn
FPP1V 03050	3 x 50	16.67	9/ctn
FPP1V 03100	3 x 100	33.33	5/ctn
FPP1V 03250	3 x 250	83.33	20/pt
FPP1V 04050	4 x 50	22.22	9/ctn
FPP1V 04100	4 x 100	44.44	5/ctn
FPP1V 04250	4 x 250	111.11	20/pt
FPP1V 06100	6 x 100	66.67	30/pt
FPP1V 06250	6 x 250	166.66	20/pt
FPP1V 12250	12 x 250	333.33	4/bndl

APPLICATIONS

This is the professional's choice for permanent landscape projects. Pro Plus geotextiles conserve soil moisture, which increases plant growth within the landscape.

The needle-punched Woven/Non-Woven materials provide increased light blockage, making this fabric an ideal weed control method (without the use of harmful herbicides).

Reinforced fibers add durability for those tough projects.

FEATURES

- **Easy Installation:**
Conforms easily to the ground.
- **Convenient:**
Colored plant lines weaved into the fabric every 12 inches for easy plant alignment.
- **Sizes:**
Available in retail and bulk roll sizes, perfect for any size project.

PRO PLUS V • 25 YEAR

Large roll color coding: Blue


PART NUMBER	SIZE	SQ YDS/ROLL	AMT PER CTN
FPPV 03250	3 x 250	83.33	20/pt
FPPV 04250	4 x 250	111.11	20/pt
FPPV 05250	5 x 250	138.89	20/pt
FPPV 06250	6 x 250	166.66	20/pt
FPPV 08250	8 x 250	222.22	4/bndl
FPPV 12250	12 x 250	333.33	4/bndl

Did you KNOW?

FRONT



BACK



Pro Plus fabrics have a **Woven** front and **Non-Woven** back, needle-punched together. For best weed control, install this fabric fuzzy side facing the ground. Pro Plus can be used fuzzy side up or down for soil separation, depending which soil (top or bottom) needs the stabilization.

Any items packaged in cartons must be purchased in full carton quantities. Special order sizes are available.



Woven Geotextiles

SRW Woven polypropylene geotextiles provide excellent puncture and tear resistant properties, along with high tensile strength. The primary use of wovens are for separation.



GROUND COVER • 15 YEAR • Colored Planting Stripes

PART NUMBER	SIZE	SQ YDS/ROLL	AMT PER CTN
FGC3 03050	3 x 50	16.67	22/ctn
FGC3 03100	3 x 100	33.33	11/ctn
FGC3 03300	3 x 300	100.00	30/pt
FGC3 04300	4 x 300	133.33	30/pt
FGC3 06300	6 x 300	200.00	30/pt
FGC3 10300	10 x 300	333.33	3/bndl
FGC3 12300	12 x 300	400.00	3/bndl
FGC3 15300	15 x 300	500.00	3/bndl

SS5 • 200 lb, Woven Slit Film • Folded

PART NUMBER	SIZE	SQ YDS/ROLL	AMT PER CTN
FSS5 0125027	12.5 x 27	37.50	6/ctn
FSS5 0125054	12.5 x 54	75.00	40/pt
FSS5 0125108	12.5 x 108	150.00	20/pt
FSS5 1750515	17.5 x 51.5	100.00	20/pt
FSS5 175103	17.5 x 103	200.00	16/pt

SS5 • 200 lb, Woven Slit Film • Full Rolls

PART NUMBER	SIZE	SQ YDS/ROLL	AMT PER CTN
FSS5 04050	4 x 50	22.22	15/ctn
FSS5 04100	4 x 100	44.44	7/ctn
FSS5 06050	6 x 50	33.33	-
FSS5 06100	6 x 100	66.67	30/pt
FCSS5 125432	12.5 x 432	600.00	3/bndl
FCSS5 15360	15 x 360	600.00	3/bndl
FCSS5 175309	17.5 x 309	600.00	3/bndl

SS6 • 315 lb, Woven Slit Film • Full Rolls

PART NUMBER	SIZE	SQ YDS/ROLL	AMT PER CTN
FCSS6 125360	12.5 x 360	500.00	3/bndl
FCSS6 175258	17.5 x 258	500.00	3/bndl

APPLICATIONS

Ground Cover

Ideal for greenhouses, nurseries and as a weed barrier for plantings without topical covering.

Slit Film Wovens

Use for soil separation and reinforcement over moderate sub-grades, under roadways, parking lots and residential streets. This fabric will improve the long-term performance of your project 50-70% and may save you as much as 30% in base materials costs.

FEATURES

■ **Easy Installation:**

Conforms easily to the ground and offers good resistance to installation abuse.

■ **Versatile:**

Chemically stable in a wide range of aggressive environments.

■ **Sizes:**

Available in retail and large construction roll sizes.

**Need city, county, state engineer or DOT specifications matched?
Contact SRW Products for special order sizes and types of fabrics and slit film.**

Any items packaged in cartons must be purchased in full carton quantities. Special order sizes are available.



Drainfield Geotextiles

SRW Drainfield polyester geotextiles are commercial grade drainage fabrics with high puncture resistance. They provide high water flow rates while providing excellent filtration properties.



Close-up

DF1 • Spunbond

PART NUMBER	SIZE	SQ YDS/ROLL	AMT PER CTN
FD1.5 03300	3 x 300	100.00	40/pt
FD1.5 04300	4 x 300	133.33	40/pt
FD1.5 05300	5 x 300	166.67	35/pt
FD1.5 06300	6 x 300	200.00	35/pt
FD1.5 12300	12 x 300	400.00	4/bndl

DF2 • Spunbond

PART NUMBER	SIZE	SQ YDS/ROLL	AMT PER CTN
FD2 03300	3 x 300	100.00	30/pt
FD2 04300	4 x 300	133.33	30/pt
FD2 06300	6 x 300	200.00	35/pt
FD2 07300	7 x 300	233.33	4/bndl
FD2 12300	12 x 300	400.00	4/bndl

Straw Blankets & Wattles

SRW Straw Blankets and Wattles are made of quality sifted straw.



Straw Blankets • Net 1 Sided

PART NUMBER	SIZE	SQ YDS/ROLL	AMT PER CTN
FCMB S11008	8 x 112.5	100.00	12/pt

Straw Blankets • Net 2 Sided

PART NUMBER	SIZE	SQ YDS/ROLL	AMT PER CTN
FCMB S21008	8 x 112.5	100.00	12/pt

Straw Wattles

PART NUMBER	SIZE	SQ YDS/ROLL	AMT PER CTN
FCMWS 0614	6" x 14'	-	16/bndl
FCMWS 0914	9" x 14'	-	11/bndl
FCMWS 1214	12" x 14'	-	9/bndl





Silt Fence

SRW Silt Fence is available in many different configurations to meet most city, state and federal requirements. To find what you need, contact SRW Products.



Silt Fence • Economy • 60g • 1 x 1 x 42" stakes

PART NUMBER	SIZE	Stakes/Roll	AMT PER CTN
FCMF S0310011	3 x 100	11 Stake	70/pt

Silt Fence • Black • 70g • 1.25 x 1.25 x 42" stakes

PART NUMBER	SIZE	Stakes/Roll	AMT PER CTN
FCMF S03100	3 x 100	13 Stake	45/pt
FCMF S0310026	3 x 100	26 Stake	20/pt
FCMF S031500	3 x 1500	Fabric Only	9/pt

Silt Fence • Orange • 70g • 1.25 x 1.25 x 42" stakes

PART NUMBER	SIZE	Stakes/Roll	AMT PER CTN
FCMFO S03100	3 x 100	13 Stake	45/pt
FCMFO S031500	3 x 1500	Fabric Only	9/pt

Silt Fence Stakes • Must be purchased in pallet quantities

PART NUMBER	SIZE	Stakes/Roll	AMT PER CTN
FCMF Stake18	18" x 1.25"	Stake Only	25/bndl
FCMF Stake30	30" x 1.25"	Stake Only	1000/pt
FCMF Stake42	42" x 1.25"	Stake Only	1000/pt
FCMF Stake48	48" x 1.5"	Stake Only	25/bndl - 750/pt

APPLICATIONS

Used to prevent soil loss at work sites. This woven fabric allows fluids to pass through while trapping any soil particles, thus preventing soil loss.

FEATURES

■ **Easy Installation:**

Comes with pre-attached posts, so no expensive machinery is needed for installation. Also available in bulk fabric for those with the machinery.

Stakes are pointed (like a pencil) for easy installation.

■ **Filtration:**

Provides high water flow rates while providing excellent filtration properties.

Need city, county, state engineer or DOT specifications matched?
Contact SRW Products for special order sizes and types of silt fencing and stakes.



Safety Fence

SRW Safety/Construction Fence is available in many different configurations to meet most DOT applications. User as a construction or crowd control barrier. Can also be used as snow fence or temporary property fencing.



Safety Fence • Diamond • 24 lb per 100' • Smooth Edges

PART NUMBER	SIZE	SQ YDS/ROLL	AMT PER CTN
FCMF D04050	4 x 50	22.22	35/pt
FCMF D04100	4 x 100	44.44	20/pt



Safety Fence • Utility • 8 lb per 100'

PART NUMBER	SIZE	SQ YDS/ROLL	AMT PER CTN
FCMF U04100 8	4 x 100	44.44	72/pt

Safety Fence • Utility • 12 lb per 100'

PART NUMBER	SIZE	SQ YDS/ROLL	AMT PER CTN
FCMF U04050	4 x 50	22.22	7/ctn
FCMF U04100	4 x 100	44.44	60/pt



DANDY SACK®



DANDY CURB SACK®

Dandy • Sediment Control



Dandy Products

PRODUCT DESCRIPTION	PART NUMBER	SIZE	AMT PER CTN
Dandy Bag	DB 36 36	36" x 36"	5/ctn
Dandy Bag	DB RD 24	24" Round	5/ctn
Dandy Curb Bag	DCB 36 24	36" x 24"	5/ctn
Dandy Sack	DS 24 24	2' x 2'	5/ctn
Dandy Pop	DP 30 30	30" x 30"	5/ctn
Dandy Curb Sack	DCS 24 24	24" x 24"	5/ctn
Dandy Curb Sack	DCS 30 12	30" x 12"	5/ctn
Dandy Curb Sack	DCS 36 24	36" x 24"	5/ctn

Looking for other Dandy Bag Products (Dandy Curb, Dandy Dewatering Bags or Dandy Skimmers) or more sizes? We can help, contact SRW Products.



Fabric Staples

SRW Fabric Staples will hold your geotextiles, geogrid and erosion control products in there place for easier installation. All staples feature pointed tips and convenient packaging.



Boxed Staples
FCMST D

Bagged Staples



Clip Strip
FCMST CLIP

Bagged Staples • 11 ga

PART NUMBER	SIZE	BAG COUNT	AMT PER CTN
FCMST 620240	6"	20/bag	12 bags/ctn
FCMST 650500	6"	50/bag	10 bags/ctn

Bagged Staples with counter display

PART NUMBER	SIZE	BAG COUNT	AMT PER CTN
FCMST D200 BAG	6"	20/bag	10 bags/ctn

Bagged Staples on clip strip

PART NUMBER	SIZE	BAG COUNT	AMT PER CTN
FCMST CLIP	6"	20/bag	2 clips/24 bags

Boxed Staples with counter display

PART NUMBER	SIZE	CTN COUNT	CTN PER PALLET
FCMST D	6"	75/bx	12 boxes/ctn 20 ctns/pt

Bulk Cartons • 11 ga

PART NUMBER	SIZE	CTN COUNT	CTN PER PALLET
FCMST 41000	4"	1000/ctn	48 ctns/pt
FCMST 61000	6"	1000/ctn	48 ctns/pt
FCMST 8500	8"	500/ctn	50 ctns/pt

Spikes Bright • 3/8" • 11 ga

Bulk Cartons


PART NUMBER	SIZE	Stakes/Roll	AMT PER CTN
FCMST 10-50#	10" Spike	50#/ctn	48 ctns/pt
FCMST 10-50#SS	10" Spiral	50#/ctn	48 ctns/pt
FCMST 12-50#	12" Spike	50#/ctn	48 ctns/pt





Paver Rail • Edging Restraint

All Aboard! Paver Rail and Paver Rail Express can be used for straight or curved applications to create a permanent and invisible barrier between pavers and other landscape materials.



PAVER RAIL • Rigid Paver Edging • Depth 1 7/8"


PART NUMBER	SIZE	CTN COUNT	AMT PER CTN
PRAIL	7'8"	12/bndl	48 bndls/pt
PRAIL 15	15'	6/bndl	48 bndls/pt

PAVER RAIL EXPRESS • Flex Paver Edging • Depth 1 7/8"

PART NUMBER	SIZE	CTN COUNT	AMT PER CTN
PRAIL EX	7'8"	12/bndl	48 bndls/pt
PRAIL EX15	15'	6/bndl	48 bndls/pt

Paver Rail • Low-Profile

How low can you go? The Paver Rail Low-Profile is the ideal edging restraint for paving stone (flagstone, etc) , or low pavers.



Standard Height

Low Profile

PAVER RAIL LOW-PRO • Rigid • Depth 1 3/16"

PART NUMBER	SIZE	CTN COUNT	AMT PER CTN
PRAIL LP	7'8"	12/bndl	48 bndls/pt

PAVER RAIL EXPRESS LOW-PRO • Flex • Depth 1 3/16"

PART NUMBER	SIZE	CTN COUNT	AMT PER CTN
PRAIL LPEX	7'8"	12/bndl	48 bndls/pt

Paver Rail • Retail Pack

The Paver Rail retail pack contains: 2-strips of Paver Rail (Rigid) and 13 staples. Six cartons (of 9 packs) are in a convenient 1/4 pallet display.



Easy-to-install retail pack comes with staples.



RETAIL PACK • PAVER RAIL • Depth 1 7/8"

PART NUMBER	SIZE	CTN COUNT	AMT PER CTN
PRAIL PAK	6' (12'/pk)	9 pks/ctn	6 ctns • 1/4 pt

Staples • Edging Staples

EDGING STAPLES • 8 Gauge Steel

PART NUMBER	SIZE	CTN COUNT	AMT PER CTN
FCMST 10500P	10"	500/ctn	48 ctns/pt

SPIKES • See Fabric Staples and Spikes on Page 13



Sealers • Pavers and Walls



LG Paver Seal • Low-Gloss

Works on pavers, block, masonry and concrete surfaces.

- Low-Gloss Sealant
- Joint Sand Stabilizer
- Protectant
- UV Resistant
- Interior/Exterior
- VOC Compliant

LG PAVER SEAL • Low Gloss • Sand Stabilizer

PART NUMBER	SIZE	AMT PER CTN	AMT PER PALLET
SSPS CTN	1 Gallon	4/ctn	27 ctns/pt
SSPS 5GAL	5 Gallon	1	36/pt



HG Paver Seal • High-Gloss

Works on pavers, block, masonry and concrete surfaces.

- High-Gloss Sealant
- Joint Sand Stabilizer
- Protectant
- UV Resistant
- Interior/Exterior
- VOC Compliant

HG PAVER SEAL • High Gloss • Sand Stabilizer

PART NUMBER	SIZE	AMT PER CTN	AMT PER PALLET
SSPSPRO CTN	1 Gallon	4/ctn	27 ctns/pt
SSPSPRO 5GAL	5 Gallon	1	36/pt



PS Paver Seal • Walls/Paver

Protects against spalling and freeze thaw damage on retaining walls and patios. Works on pavers, block, masonry and concrete surfaces.

- Clear Sealant
- Penetrating
- Repels Water and Dirt
- UV Resistant
- Interior/Exterior
- VOC Compliant

PS PAVER SEAL • Penetrating • Walls/Pavers

PART NUMBER	SIZE	AMT PER CTN	AMT PER PALLET
SSPSPLUS CTN	1 Gallon	4/ctn	27 ctns/pt
SSPSPLUS 5GAL	5 Gallon	1	36/pt

55 Gallon drums are available • Call for quote



EF Efflorescence • Cleaner

Works on pavers, brick, block, retaining walls and concrete surfaces.

- Dissolve mineral deposits and rust stains
- Restores original color and prepares surface for sealing

EF EFFLORESCENCE CLEANER

PART NUMBER	SIZE	AMT PER CTN	AMT PER PALLET
SSE CTN	1 Gallon	4/ctn	27 ctns/pt

CD Cleaner & Degreaser

Concentrated liquid cleaner that removes grease, oil, dirt, and rust from paver surfaces. Works on pavers, concrete, brick and masonry.

- Heavy-duty concentrate
- Rinses clean with water

CD CLEANER and DEGREASER

PART NUMBER	SIZE	AMT PER CTN	AMT PER PALLET
SSD CTN	1 Quart	6/ctn	-

Sealer Sprayer

The Hand-held SP35C Sealer Sprayer features highgrade Viton® seals and an easy-to-clean design. Built to handle aggressive chemicals.

- 3.5 Gallon capacity
- 20" brass wand
- 42 psi maximum pressure
- 47" industrial hose (rated at 300 psi)

SEALER SPRAYER

PART NUMBER	SIZE	AMT PER CTN	AMT PER PALLET
SSSP SPRAYER	3.5 Gallon	1/ctn	60/pt

- Replacement Accessories Available. •

Slit Foam Roller

This slit-foam roller remains spongy (not compressed) during your project making for smooth application for textured surfaces. Recommended for use with SRW Paver Seal product line.

Slit Foam Roller

PART NUMBER	SIZE	AMT PER CTN	AMT PER PALLET
SSSFR CTN	13/16" Roller	12/ctn	-





New for 2009

SR Slip-Resistant • Paver Grip

SRW SR Slip-Resistant Paver Grip is an additive you add to SRW LG and HG Sealers to improve the slip-resistance on pavers and concrete surfaces.

- Lightweight and clear in appearance, will not discolor

SLIP-RESISTANT • Paver Grip

PART NUMBER	SIZE	AMT PER CTN	AMT PER PALLET
SSSR PG	1# Container	2/ctn	-

Joint Set • Sand Stabilizer

Joint Set is specially formulated sand stabilizer designed for interlocking pavers. It increases the strength, stops ants, and prevents washout of joint sand. Joint set comes in pre-mixed or concentrated formulas making it easy for both residential or commercial use. Environmentally friendly.



JOINT SET • Premix • Regular Joint

PART NUMBER	COLOR	SIZE	AMT PER PALLET
SSAN PRET	Tan	65# Bag	40 or 42/pt
SSAN PREG	Charcoal	65# Bag	42/pt

Joint Set • High Performance

SRW Joint Set in a High Performance formula for wide joints (up to 3").

JOINT SET • Premix • Wide Joint

PART NUMBER	COLOR	SIZE	AMT PER PALLET
SSAN PRE HPS	Slate	65# Bag	42/pt



Joint Set • Concentrate

JOINT SET • Sand Stabilizer Only (no sand)

PART NUMBER	SIZE	AMT PER CTN	AMT PER PALLET
SSAN CTN	1# Bag	20/ctn	-



Adhesive • Regular and VOC

This is the adhesive that the contractors ask for as “SRW”. Professional strength adhesive for masonry, concrete, brick, block, pavers and other common landscaping materials.

- Works on Wet or Frozen Surfaces



RETAINING WALL AND PAVER ADHESIVE

PART NUMBER	SIZE	AMT PER CTN	AMT PER PALLET
A 10	10.5 oz	12/ctn	64/pt
A 29	29 oz	12/ctn	38/pt

VOC • RETAINING WALL AND PAVER ADHESIVE

PART NUMBER	SIZE	AMT PER CTN	AMT PER PALLET
AP 10	10.5 oz	12/ctn	64/pt
AP 29	29 oz	12/ctn	38/pt

Caulking Guns

The SRW Economy Caulking Gun is made of heavy-duty steel construction and features non-drop and a smooth rod. Great for a quick project and economical enough to be disposable.



ECONOMY CAULKING GUN • Steel Construction

PART NUMBER	SIZE	AMT PER CTN
CG00001	10.5 oz	24/ctn
CG00003	29 oz	6/ctn

The SRW Premium Caulking Gun is also made of heavy-duty steel construction and features a Spout Cutter, Seal Puncture Tool and a Revolving Barrel.



PREMIUM CAULKING GUN • Spout Cutter

PART NUMBER	SIZE	AMT PER CTN
CG00002	10.5 oz	6/ctn
CG00004	29 oz	6/ctn



Diamond Blades • Paver

The popular Universal blade will deliver great results for the cost-conscious contractor. It may be ran wet or dry on brick, block, stone, tile or concrete. (Not recommended for walk-behind saw)



UNIVERSAL WET/DRY BLADE

PART NUMBER	SIZE	DESCRIPTION	THICKNESS
BU 04	4"	Arbor 5/8", 7/8" Max Speed 15,000	.080
BU 07	7"	Arbor 5/8", 7/8" Max Speed 8,730	.080
BU 10	10"	Arbor 5/8", 7/8" Max Speed 6,100	.095
BU 12	12"	Arbor 1", 20mm Max Speed 6,300	.125
BU 14	14"	Arbor 1", 20mm Max Speed 5,460	.125

General Purpose provides a fast, smooth cutting in a variety of block, brick, pavers, concrete and stone applications. May be ran wet or dry.



GENERAL PURPOSE SEGMENTED

PART NUMBER	SIZE	DESCRIPTION	THICKNESS
BGPC 10	10"	Contractor Grade	.095
BGPC 12	12"	Contractor Grade	.125
BGPC 14	14"	Contractor Grade	.125
BGPP 10	10"	Premium Grade	.095
BGPP 12	12"	Premium Grade	.125
BGPP 14	14"	Premium Grade	.125

Paver Plus Turbo is the perfect, long lasting blade to quickly and smoothly cut 10,000 psi concrete pavers. May be ran wet or dry.




PAVER PLUS SEGMENTED TURBO

PART NUMBER	SIZE	DESCRIPTION	THICKNESS
BPPC 10	10"	Contractor Grade 8.5mm Segmented Height	.095
BPPC 12	12"	Contractor Grade 8.5mm Segmented Height	.125
BPPC 14	14"	Contractor Grade 8.5mm Segmented Height	.125
BPPP 10	10"	Premium Grade 10mm Segmented Height	.095
BPPP 12	12"	Premium Grade 10mm Segmented Height	.125
BPPP 14	14"	Premium Grade 10mm Segmented Height	.125



**New for
2009**



More systems available soon!
Contact your Territory Manager for
more information.

HTS Engineering Services for 8' and under retaining walls

Fill the “Missing Link” between product sales of 8' and under retaining walls and customer service with this evolutionary program offered by SRW Products. Books are sold in eight packs.

Retail-Ready Books

Block System	Part #	AMT PER BOX
CornerStone 100	HTS CS 100 RET	8 books/bx
FrogStone	HTS FROG RET	8 books/bx
Magnum Stone	HTS MAGNU RET	8 books/bx
StoneLedge	HTS STLED RET	8 books/bx
Diamond	HTS DIA RET	8 books/bx
Diamond Pro	HTS DIPRO RET	8 books/bx
Diamond Pro Stone Cut	HTS DPSC RET	8 books/bx
Highland	HTS HIGH RET	8 books/bx
Versa-Lok Standard	HTS VLSTD RET	8 books/bx
Versa-Lok Mosaic	HTS MOSAIC RET	8 books/bx
Versa-Lok Sq. Ft.	HTS VLSQFT RET	8 books/bx
Maytrx	HTS MAYTRX RET	8 books/bx
Windsor	HTS WINDSOR RET	8 books/bx

HTS supplies your customer with:

- How-to articles for planning your wall
- Material estimating guide and spreadsheet
- Quick turnaround stamped engineering request form
- Over 140 retaining wall design tables
- Step-by-step installation instructions
- Soil sample bag and more!

What's inside the book?

An Evolutionary Guide to Retaining Walls.

Section 1: PLANNING

The planning section lists the sequence of events and features easy-to-follow how-to articles for planning and designing your retaining wall.

Section 2: DESIGN TABLES

Over 140 design tables help you design the wall of your dreams.

Section 3: INSTALLATION

Course-by-course instructions on building a quality retaining wall, specific to you wall block.





Increase Your SRW Sales

Ask your territory manager about ways SRW can help increase your sales. From educational seminars to “How-To” posters, to attractive floor displays, we’re here for you.



BROCHURES

PRODUCT LINE	SIZE	DESCRIPTION
Fabric	Tri-fold	Types of geotextiles and applications
Geogrid	Tri-fold	Types of geogrid and applications
Geogrid Install	Tri-fold	Basic installation guide for geogrid
Adhesive	Tri-fold	Types and basic installation
Sealer/Stabilizers	Tri-fold	Introduction to complete product line
SS5 Fabric	Tri-fold	Benefits and basic installation
Diamond Blade	Tri-fold	Types and recommended usage
Earthworks	Tri-fold	Benefits and basic installation
Paver Rail	Tri-fold	Benefits and basic installation

POSTERS • Laminated “How-To” Posters

PRODUCT LINE	SIZE	DESCRIPTION
Fabric	13x19	Fabrics 101 • Types and usages
Geogrid	13x19	Installation and benefits
Adhesive	13x19	Installation and benefits
Sealer/Cleaners	13x19	Choosing the right product

DEALER RESOURCES

ITEM	SIZE	DESCRIPTION
Product Guide	9x12 Binder	Specifications, MSDS on all products
Product Guide CD	CD	Specifications, MSDS on all products
Fabric Samples	4x4	Individual sample cards of fabric
Geogrid Samples	4x4	Individual sample cards of geogrid
“How-To” Videos	DVD	NEW for 2009

STORE DISPLAYS

ITEM	SIZE	DESCRIPTION
Fabric Display	28”(W) x 26”(D) x 65”(H)	Holds 2 cartons of 3-4’ rolls
Sealer Display	39”(W) x 19.5”(D) x 54”(H)	Two 12” movable shelves, 18” base shelf, grid walls
Endcap Signage	34” x 7”	Sturdy indoor signage

Earthworks

EARTHWORKSTM

RETAINING WALL SYSTEM

No Footings • No Mortar
• No Kidding •



Earthworks block retainer placement during construction.

The Earthworks Retaining Wall System is easy to use and can produce the results you're looking for below the cost of other retaining wall systems. Uses standard concrete block.

EARTHWORKS

PART NUMBER	SIZE	AMT PER CTN
EAR8/EAR12	8" & 12"	250/ctn
EAR10/EAR12-8	10" & Transition	250/ctn
EAR COR	Corner Spacers	100/ctn

STRETCH WRAP and VENTS



Stretch Wrap

Other sizes available for both machine and hand wrap.

67 GAUGE

PART NUMBER	SIZE	GAUGE	AMT PER CTN
SW G1.17445	17.5" x 1500'	67	4/ctn

75 GAUGE

PART NUMBER	SIZE	GAUGE	AMT PER CTN
SW G1.19445	17.5" x 1500'	75	4/ctn
SW G2.07520N	20" x 6000'	75	40/pt

HANDLES for Stretch Wrap

PART NUMBER	SIZE	GAUGE	AMT PER CTN
SW HH	NA	NA	2/ctn

For more information,
contact your
Territory Manager

Foundation Vents

The Model P-68 is made of plastic and features built-on lintel and screened and sliding shutter. Color: Gray

The Model GA-168 is made of aluminum and features 3-hinged adjustable louvers and a 8 x 8 perma coated screen.



www.srwproducts.com

763-389-2722 • 1-800-752-9326 • Fax: 763-389-2725
32020 126th Street • PO Box 70 • Princeton, MN 55371

© 2009 SRW Products

RD 010509

